(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 16 January 2003 (16.01.2003)

PCT

(10) International Publication Number WO 03/004032 A1

(51) International Patent Classification7: A61K 31/485, 9/00, A61P 25/04

(21) International Application Number: PCT/US02/21400

(22) International Filing Date: 3 July 2002 (03.07.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data: 60/303,357 6 July 2001 (06.07.2001) US 60/329,445 15 October 2001 (15.10.2001) US 60/329,432 15 October 2001 (15.10.2001) US 60/329,444 15 October 2001 (15.10.2001) US

- (71) Applicant: ENDO PHARMACEUTICALS, INC. [US/US]; 100 Painters Drive, Chadds Ford, PA 19317 (US).
- (72) Inventors: KAO, Huai-Hung; 137 Colony Lane, Syosset, NY 11791 (US). SMITH-CARLISS, Richard; 621 Cricklewood Road, Westchester, PA 19382 (US). MCCALL,


Troy; 8861 Three Chimneys Drive East, Germantown, TN 38138 (US). LEE, David; 3209 Swarthmore Road, Wilmington, DE 19807 (US).

- (74) Agents: DONATIELLO, Guy, T. et al.; Schnader, Harrison, Segal & Lewis, Suite 3600, 1600 Market Street, Philadelphia, PA 19103 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, $\mathsf{MX}, \mathsf{MZ}, \mathsf{NO}, \mathsf{NZ}, \mathsf{OM}, \mathsf{PH}, \mathsf{PL}, \mathsf{PT}, \mathsf{RO}, \mathsf{RU}, \mathsf{SD}, \mathsf{SE}, \mathsf{SG},$ SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: ORAL ADMINISTRATION OF 6-HYDROXY-OXYMORPHONE FOR USE AS AN ANALGESIC

PK Profile for 6-OH-Oxymorphone with PID Scores



* Pain Intensity Difference • 6-OH-Oxymorphone Plasma Concentrations

(57) Abstract: In a method of treating pain, a patient is administered a pharmaceutical composition of 6-hydroxy oxymorphone in an amount sufficient to induce analgesia. In one embodiment, the pharmaceutical composition is administered orally. Any known or later developed method of oral delivery may be used. To achieve the desired analgesic effect, blood plasma levels of 6-hydroxy oxymorphone are raised to at least approximately 0.2 ng/mL. Most preferably blood plasma levels of 6-hydroxy oxymorphone range at least 0.3 ng/mL during treatment. Administration of compositions containing 6-hydroxy oxymorphone, and one or more carriers, diluents, and excipients in an amount sufficient to induce analgesia is also contemplated.



Published:

with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

ORAL ADMINISTRATION OF 6-HYDROXY-OXYMORPHONE FOR USE AS AN ANALGESIC

This application relates to provisional patent application serial nos. 60/329,445 filed October 15, 2001, .60/329,432 filed October 15, 2001, 60/303,357 filed July 6, 2001, and 60/329,444 filed October 15, 2001.

Background

Field of Invention

The invention relates to methods for alleviating pain. More particularly, the invention relates to methods for alleviating pain by administering 6-hydroxy oxymorphone. Most particularly, the invention relates to methods of inducing analgesia by increasing blood plasma levels of 6-hydroxy oxymorphone through oral administration of a pharmaceutical composition containing 6-hydroxy oxymorphone.

Summary of the Invention

The present invention provides methods of treating pain by administering a pharmaceutical composition comprising 6-hydroxy oxymorphone in an amount sufficient to induce analgesia. In one embodiment, the pharmaceutical composition is administered orally. Any known or later developed method of oral delivery may be used. To achieve the desired analgesic effect, blood plasma levels of 6-hydroxy oxymorphone are raised to at least about 0.2 ng/mL. Most preferably blood plasma levels of 6-hydroxy oxymorphone of at least about 0.3 ng/mL during treatment. Methods for administering compositions comprising 6-hydroxy oxymorphone, and one or more carriers, diluents, and excipients in an amount sufficient to induce analgesia are also provided.

Brief Description of the Drawings

- Fig. 1 is a pharmacokinetic profile for 6-hydroxy oxymorphone with PID scores.
- Fig. 2 is a pharmacokinetic profile for oxymorphone with PID scores.
- Fig. 3 is a pharmacokinetic profile for 6-hydroxy oxymorphone with categorical pain scores.
 - Fig. 4 is a pharmacokinetic profile for oxymorphone with categorical pain scores.

Detailed Description

The methods described herein provide for the administration of a pharmaceutical composition containing 6-hydroxy oxymorphone as an active ingredient. In a preferred embodiment the preferred composition comprises 6-hydroxy oxymorphone alone (excepting, of course, carriers, diluents, and other excipients). In other preferred embodiments, 6-hydroxy oxymorphone may be combined with other opioids or other pharmaceutical agents. For example, another preferred embodiment provides compositions comprising both 6-hydroxy oxymorphone and its parent, oxymorphone.

In two separate studies, blood plasma levels and indications of pain relief were recorded over a 12 hour period after. Figs. 1-4 show graphical representation of the data combining the two studies such that the effect of blood plasma levels of oxymorphone and its metabolite, 6-hydroxy oxymorphone on pain can be evaluated.

The administration of oxymorphone yields blood plasma levels of oxymorphone and all of its metabolites, 6-hydroxy oxymorphone. Oxymorphone levels peak within 2 hours, fall slightly, and plateau. Interestingly, the level spikes again at 4-6 hours from administration. After this time, oxymorphone levels again drop and eventually fall to levels near the earlier plateau.

Like oxymorphone, 6-hydroxy oxymorphone blood plasma levels peak within 2 hours after administration. After the initial peak, however, a more or less steady decline in the 6-hydroxy oxymorphones plasma levels is observed.

Comparing these levels to the pain profiles, a correlation between the 6-hydroxy oxymorphone blood plasma levels and pain relief can be seen. The pain levels nearly mirror the 6-hydroxy oxymorphone levels, with substantial rises in relief near the spikes associated with 6-hydroxy oxymorphone blood levels. Thus, pain relief can be achieved through administration of 6-hydroxy oxymorphone alone.

In addition to the pharmacokinetic studies, binding studies have been conducted to compare the binding affinity of 6-hydroxy oxymorphone to that of oxymorphone. The results are reported in TABLE 1. These results clearly indicate that 6-hydroxy oxymorphone has great binding affinity for the δ , κ , and μ receptor cites, comparable to the binding affinity of its parent. The inventors believe that by virtue of this binding

affinity, 6-hydroxy oxymorphone has similar analgesic effects to its parent, oxymorphone.

TABLE 1: ASSAY REPORT

	6-HYDROXY OXYMORPHONE		OXYMORPHONE		
	10nm 1.0 E-8	10μm 1.0 E-5	10nm 1.0 E-8	10μm 1.0 E-5	
Opiate, Delta 1	-4.12%	90.48%	-18.26%	89.03%	
Opiate, Delta 2 (Human Recombinant)	7.19%	55.45%	7.76%	72.74%	
Opiate, Kappa (Human Recombinant)	2.45%	62.47%	10.35%	89.41%	
Opiate, Mu (Human Recombinant)	63.16%	99.91%	85.42%	100.39%	

Accordingly, methods of administering the metabolite, 6-hydroxy oxymorphone, directly have been developed. It is believed that the β isomer has greater efficacy in the treatment of pain, but this disclosure is not limited to use of that isomer alone. Pharmaceutical compositions containing either 6- α -hydroxy oxymorphone, or mixtures thereof can be used in the invention.

Formulation as a suspension, syrup, or other liquid, tablet, capsule, liquid-filled gel cap, or other solid or semi-solid means may be used. The composition may alternately be in the form of a time release formulation, including timed, suspended and extended release formulations. Regardless of the formulation, an amount of 6-hydroxy oxymorphone sufficient to induce analgesia will be supplied to the patient. Blood plasma levels of 6-hydroxy oxymorphone must be raised to levels sufficient to induce the desired level of analgesia.

The amount administered will be dependent upon normal criteria such as patient weight, intensity of pain, and other factors. Based on the pharmacokinetic studies, blood plasma levels around at least 0.2 ng/mL will provide some analgesia. The upper plasma level limit will be ultimately established by safety concerns. Over-dosing of any opioid, including 6-hydroxy oxymorphone, may lead to respiratory failure and other undesirable side effects and can even result in death. Preferably, the blood plasma level of 6-hydroxy oxymorphone will be raised to at least 0.3 ng/mL. Subsequent doses may be required to maintain these blood levels.

The preferred administration is of 6-hydroxy oxymorphone with appropriate carriers and excipients as will be readily apparent to those skilled in the art. The resulting blood plasma in these preferred administrations will therefore be substantially free of oxymorphone.

The above description encompasses some preferred embodiments of the invention. This disclosure is merely illustrative in nature and is not intended to limit the following claims.

CLAIMS

What is claimed is:

A method of treating pain comprising the step of:
 administering to a patient a pharmaceutical composition comprising 6-hydroxy
 oxymorphone in an amount sufficient to induce analgesia.


- 2. The method of claim 1 wherein said pharmaceutical composition is administered orally.
- 3. The method of claim 2 wherein said pharmaceutical composition is administered in a form selected from a liquid formulation, syrup, suspension, solid formulation, tablet, capsule, liquid-filled gel cap, and a semi-solid formulation.
- 4. The method of claim 1 wherein said administration is sufficient to raise blood plasma levels of 6-hydroxy oxymorphone to at least about 0.2 ng/mL.
- 5. The method of claim 1 wherein said administration is sufficient to raise blood plasma levels of 6-hydroxy oxymorphone to at least about 0.3 ng/mL.
- 6. A method of treating pain comprising the step of:

orally administering to a patient a pharmaceutical composition comprising 6hydroxy oxymorphone, and one or more carriers, diluents, and excipients in an amount sufficient to induce analgesia.


7. A method of treating pain comprising the step of:

orally administering to a patient a pharmaceutical composition comprising 6hydroxy oxymorphone and oxymorphone in an amount sufficient to induce analgesia.

8. A pharmaceutical composition comprising 6-hydroxy oxymorphone in a formulation for oral delivery to animals including hormone.



1/4



2/4

PK Profile for 6-OH-Oxymorphone with Categorical Pain Scores





FIG. 3



INTERNATIONAL SEARCH REPORT

In ional Application No PCT/US 02/21400

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 A61K31/485 A61K A61K9/00 A61P25/04 According to International Patent Classification (IPC) or to both national classification and IPC B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) IPC 7 A61K A61P Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the International search (name of data base and, where practical, search terms used) EPO-Internal, WPI Data, PAJ, CHEM ABS Data, EMBASE, SCISEARCH, MEDLINE C. DOCUMENTS CONSIDERED TO BE RELEVANT Category * Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim No. Υ "General procedure for CONE, EDWARD J.: 1-8 the isolation and identification of 6-.alpha.- and 6-.beta.-hydroxy metabolites of narcotic agonists and antagonists with a hydromorphone structure" J. CHROMATOGR. (1976), 129, 355-61, XP001106444 page 356; table 1 page 357, paragraph SECOND page 361 Υ US 6 166 211 A (DRUMMOND JR SPENCER ET 1-8 AL) 26 December 2000 (2000-12-26) column 2 -/--Further documents are listed in the continuation of box C. Patent family members are listed in annex. Special categories of cited documents: 'T' later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the *A* document defining the general state of the art which is not considered to be of particular relevance invention "E" earlier document but published on or after the International *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone filing date 'L' document which may throw doubts on priority claim(s) or which is ciled to establish the publication date of another citation or other special reason (as specified) "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such docu-ments, such combination being obvious to a person skilled "O" document referring to an oral disclosure, use, exhibition or other means *P* document published prior to the International filling date but later than the priority date claimed in the art. "A" document member of the same patent family Date of the actual completion of the international search Date of mailing of the international search report 23 October 2002 31/10/2002 Name and mailing address of the ISA Authorized officer European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Brunnauer, H Fax: (+31-70) 340-3016

INTERNATIONAL SEARCH REPORT

In tional Application No PCT/US 02/21400

		PCT/US 02/21400
	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	
Category •	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	CONE E J ET AL: "Oxymorphone metabolism and urinary excretion in human, rat, guinea pig, rabbit, and dog." DRUG METABOLISM AND DISPOSITION, (1983 SEP-OCT) 11 (5) 446-50., XP001106446 abstract page 446, right-hand column	1-8
Y	US 4 844 907 A (ELGER GORDON A ET AL) 4 July 1989 (1989-07-04) claims 1,2	1-8
Y	US 5 629 011 A (ILLUM LISBETH) 13 May 1997 (1997-05-13) claims 1,9	1-8
Y	US 4 366 159 A (MAGRUDER MICHAEL R) 28 December 1982 (1982-12-28) column 3, line 35-37 - line 55-59	1-8
	•	

Thternational application No. PCT/US 02/21400

INTERNATIONAL SEARCH REPORT

Box I	Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)
This Inte	ernational Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:
1. X	Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely:
	Although claims 17 are directed to a method of treatment of the human/animal body, the search has been carried out and based on the alleged effects of the compound/composition.
2.	Claims Nos.: because they relate to parts of the international Application that do not comply with the prescribed requirements to such an extent that no meaningful international Search can be carried out, specifically:
з. 🗌	Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).
Box II	Observations where unity of invention is lacking (Continuation of item 2 of first sheet)
This Inte	rnational Searching Authority found multiple inventions in this international application, as follows:
1.	As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
	As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
	As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4	No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:
Remark o	The additional search fees were accompanied by the applicant's protest. No protest accompanied the payment of additional search fees.

INTERNATIONAL SEARCH REPORT

Information on patent family members

onal Application No PCT/US 02/21400

	Publication date		Patent family member(s)	Publication date
Α	26-12-2000	AU WO	3736500 A 0056735 A1	09-10-2000 28-09-2000
A	04-07-1989	AT AU	46437 T 584234 B2	15-10-1989 18-05-1989
		CA	1272955 A1	05-03-1987 21-08-1990
		DK	407286 A	26-10-1989 01-03-1987 06-05-1987
		ΙE	59515 B	09-03-1994
		JP	6081733 B	10-07-1995 19-10-1994
		NZ	217341 A	06-03-1987 28-10-1988
		ZA	94892 G 8606207 A	04-12-1992 29-04-1987
A	13-05-1997	ΑΤ Δ11	171872 T	15-10-1998 03-09-1993
		CA	2127805 A1	19-08-1993
		DE	69321458 D1 69321458 T2	12-11-1998 18-03-1999
		DK Ep	625044 T3	21-06-1999 23-11-1994
		ES	2123660 T3	16-01-1999
		GB	2277682 A ,B	19-08-1993 09-11-1994
		JP NO	7503481 T 942787 A	13-04-1995 27-07-1994
Α	28-12-1982	AR	228984 A1	13-05-1983
		ΑU	8804282 A	09-01-1986 17-03-1983
				11-02-1986 16-03-1983
		FI	823112 A	09-03-1983
		HU	190699 B	29-08-1984 28-10-1986
				31-07-1986 01-04-1983
		NZ PH	201841 A 18772 A	14-12-1984 25-09-1985
		C 17	IA/// A	/3=U3=1303
	A A	A 26-12-2000 A 04-07-1989 A 13-05-1997	A 26-12-2000 AU WO A 04-07-1989 AT AU AU CA DE DK EP IE JP JP JP NZ SG ZA A 13-05-1997 AT AU CA DE DE DK EP ES WO GB JP NO A 28-12-1982 AR AU AU CA EP FI GR HU IL JP NZ	A 26-12-2000 AU 3736500 A WO 0056735 A1 A 04-07-1989 AT 46437 T AU 584234 B2 AU 6183086 A CA 1272955 A1 DE 3665669 D1 DK 407286 A EP 0220805 A2 IE 59515 B JP 1948471 C JP 6081733 B JP 62051625 A NZ 217341 A SG 94892 G ZA 8606207 A A 13-05-1997 AT 171872 T AU 3458093 A CA 2127805 A1 DE 69321458 D1 DE 69321458 D1 DE 69321458 T2 DK 625044 T3 EP 0625044 A1 ES 2123660 T3 WO 9315737 A1 GB 2277682 A , B JP 7503481 T NO 942787 A A 28-12-1982 AR 228984 A1 AU 549070 B2 AU 8804282 A CA 1200501 A1 EP 0074105 A1 FI 823112 A GR 76702 A1 HU 190699 B IL 66743 A JP 58055422 A NZ 201841 A